

## LITERATURE CITED

ABAG (Association of Bay Area Governments), Romberg Tiburon Centers, and U.S. Fish and Wildlife Service. 1991. Status and trends report on wetlands and related habitats in the San Francisco estuary. Prepared under Cooperative Agreement #815406-01-0 for the Environmental Protection Agency. San Francisco Estuary Project. Oakland, Calif.

Anisfeld, S.C. and G. Benoit. 1997. Impacts of flow restrictions on salt marshes: an instance of acidification. *Environ. Sci. Technol.* 31: 1650-1657.

Bronswijk, J.J.B., K. Nugroho, I.B. Aribawa, J.E. Groenenberg, and C.J. Ritsema. 1993. Modeling of oxygen transport and pyrite oxidation in acid sulphate soils. *J. Environ. Qual.* 22: 544-554.

Canfield, T.J., N.E. Kemble, W.G. Brumbaugh, F.J. Dwyer, C.G. Ingersoll, and J.F. Fairchild. 1994. Use of benthic invertebrate community structure and the sediment quality triad to evaluate metal contaminated sediment in the upper Clark Fork River, Montana. *Environmental Toxicology and Chemistry* 13: 1999-2012.

Canfield, T.J., F.J. Dwyer, J.F. Fairchild, P.S. Haverland, C.G. Ingersoll, N.E. Kemble, D.R. Mount, T.W. LaPoint, G.A. Burton, and M.C. Swift. 1996. Assessing contamination in great lakes sediments using benthic invertebrate communities and the sediment quality triad approach. *Journal of Great Lakes Res.* 22: 565-583.

Clark, L.J. and N.A. Jaworski. 1972. Nutrient transport and dissolved oxygen budget studies in the Potomac estuary. U.S. Environmental Protection Agency (EPA) Technical Rep. No. 27. U.S. EPA, Annapolis, Maryland.

Collins, J.N. and M. May. 1997. Contamination in tidal wetlands. Pp. 197-213 *in* 1995 Annual report: San Francisco Estuary Regional Monitoring Program for Trace Substances. San Francisco Estuary Institute (SFEI). Richmond, Calif.

Cooper, A.W. 1974. Salt marshes. Pp. 55-96 *in* Coastal Ecological Systems of the United States, Vol. II. H.T. Odum, B.J. Copeland, and E.A. McMahan, eds. The Conservation Foundation. Washington, D.C.

Dangles, O.J. and F.A. Guerold. 2000. Structural and functional responses of benthic macroinvertebrates to acid precipitation in two forested headwater streams (Vosges Mountains, northeastern France). *Hydrobiologia* 418: 25-31.

de Jong, D.J., Z. de Jong, and J.P.M. Mulder. 1994. Changes in area, geomorphology and sediment nature of salt marshes in the Oosterschelde estuary (SW Netherlands) due to tidal changes. *Hydrobiologia* 282/283: 303-316.

Delaune, R.D. and C.J. Smith. 1985. Release of nutrients and metals following oxidation of freshwater and saline sediment. *J. Environ. Qual.* 14(2): 164-168.

Doka, S.E., M.L. Mallory, D.K. McNicol, and C.K. Minns. 1997. Species richness and species occurrence of five taxonomic groups in relation to pH and other lake characteristics in southeastern Canada. Canadian Technical Report of Fisheries and Aquatic Science.

East Bay Regional Parks District (EBRPD). 1996 (March 8). Hayward Shoreline Reclaimed Water Marsh 1995 Annual Report. Prepared for California Regional Water Quality Control Board, San Francisco District. Oakland, Calif.

Gambrell, R.P., J.B. Wiesepepe, W.H. Patrick, Jr., and M.C. Duff. 1991. The effects of pH, redox, and salinity on metal release from a contaminated sediment. *Water, Air, and Soil Pollution* 57-58: 359-367.

Gambrell, R.P. 1994. Trace and toxic metals in wetlands -- a review. *J. Environ. Quality* 23: 883-891.

Gardner, W.H. 1986. Water content in *Methods of Soil Analysis, Part 1: Physical and mineralogical methods* (2nd Edition). American Society of Agronomy-Soil Science Society of America. Madison, Wisconsin. U.S.A.

Gosling, L.M. and S.J. Baker. 1980. Acidity fluctuations at a broadland site in Norfolk. *Journal of Applied Ecology* 17: 479-490.

Gregg, J.H. and A.J. Horne. 1993. Short-term distribution and fate of trace metals in a constructed wetland receiving treated municipal wastewater: a microcosm study using radiotracers. University of California, Berkeley. Environmental Engineering and Health Sciences Laboratory Report No. 93-94.

Hintze, J. 2001. NCSS and PASS. Number Cruncher Statistical Systems. Kaysville, Utah. [www.ncss.com](http://www.ncss.com)

Horne, A.J. 2000. Phytoremediation by constructed wetlands. Pp 13-39 *in* Phytoremediation of Contaminated Soil and Water. Norman Terry, ed. CRC Press LLC.

Hunt, J., B. Anderson, and B. Phillips. 1999. Bay protection and toxic clean-up program: studies to identify toxic hot spots in the San Francisco Bay region. Pp. 132-139 *in* 1997 Annual report: San Francisco Estuary Regional Monitoring Program for Trace Substances. San Francisco Estuary Institute (SFEI). Richmond, Calif.

Lee, C.R., B.L. Folsom, Jr., and R.M. Engler. 1980. Availability and plant uptake of heavy metals from contaminated dredge material placed in flooded and upland disposal environments *in* Management of Bottom Sediments Containing Toxic Substances. U.S. EPA Rep. 600/9-80-044. U.S. Environmental Protection Agency. Corvallis, Ore.

- Lee, V. and S. Olsen. 1985. Eutrophication and management initiatives for the control of nutrient inputs to Rhode Island coastal lagoons. *Estuaries* 8: 191-202.
- Long, E.R., D.D. MacDonald, S.L. Smith, and F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Env. Mgmt.* 19: 81-97.
- Lowe, S. and B. Thompson. 1999. Identifying benthic indicators for San Francisco Bay. Pp. 121-131 *in* 1997 Annual report: San Francisco Estuary Regional Monitoring Program for Trace Substances. San Francisco Estuary Institute (SFEI). Richmond, Calif.
- Madrone Associates, Philip Williams and Associates, and San Francisco Bay Conservation and Development Commission. 1983 (February). Ecological values of diked historic baylands. Prepared for San Francisco Bay Conservation and Development Commission.
- Magurran, Anne E. 1988. *Ecological Diversity and Its Measurement*. Princeton University Press. Princeton, New Jersey.
- McCune, B. and M.J. Mefford. 1999. PC-ORD. Multivariate analysis of ecological data, Version 4. MjM Software Design. Gleneden Beach, Oregon. U.S.A.
- McGarigal, K., S. Cushman, and S. Stafford. 2000. *Multivariate statistics for wildlife and ecology research*. Springer-Verlag New York, Inc. New York, N.Y.
- Mitsch, W.J. and J.G. Gosselink. 1986. *Wetlands*. Van Norstrand Reinhold, New York, N.Y.
- Morris, A.W., R.F.C. Mantoura, A.J. Bale, and R.J.M. Howland. 1978. Very low salinity regions of estuaries: important sites for chemical and biological reactions. *Nature* 274: 678-680.
- Pacific Eco-Risk Environmental Consulting & Testing. 2001 (March). Toxicity evaluation of sediments from Hudeman Slough, Sonoma County. (Samples collected January 22-23, 2001). Prepared for the Sonoma County Water Agency, Santa Rosa, Calif.
- Pacific Estuarine Research Laboratory. 1990. A manual for assessing restored and natural coastal wetlands with examples from southern California. California Sea Grant Report No.T-CSGCP-021. California Sea Grant, La Jolla, Calif.
- Peverly, J.H. and R.J. Kopka. 1991. Changes in Al, Mn and Fe from sediments and aquatic plants after lake drawdown. *Water, Air, and Soil Pollution* 57-58: 399-410.
- Polak, J. and G.C. Haffner. 1978. Oxygen depletion of Hamilton Harbour. *Water Research* 12: 205-215.
- Portnoy, J.W. 1991. Summer oxygen depletion in a diked New England estuary. *Estuaries* 14(2): 122-129.

Portnoy, J.W. and A.E. Giblin. 1997. Effects of historic tidal restrictions on salt marsh sediment chemistry. *Biogeochemistry* 36: 275-303.

Portnoy, J.W. and I. Valiela. 1997. Short-term effects of salinity reduction and drainage on salt-marsh biogeochemical cycling and *Spartina* (cordgrass) production. *Estuaries* 20(3): 569-578.

Regional Water Quality Control Board, San Francisco District (RWQCB). 1995. 1995 Basin Plan. Oakland, Calif.

Richards, L.A. 1954. Diagnosis and improvement of saline and alkali soils. *Agricultural Handbook No. 60*. U.S. Department of Agriculture. Washington D.C. U.S.A.

Rundle, S.D. and M.J. Attrill. 1995. Comparison of meiobenthic crustacean community structure across freshwater acidification gradients. *Archiv für Hydrobiologie* 133: 441-456.

San Francisco Estuary Institute (SFEI). 1999. 1997 Annual report: San Francisco Estuary Regional Monitoring Program for Trace Substances. Richmond, Calif.

San Francisco Estuary Project (SFEP). 1992. State of the estuary: A report on the conditions and problems in the San Francisco Bay/Sacramento-San Joaquin Delta Estuary.

Satawathananont, S., W.H. Patrick, Jr., and P.A. Moore, Jr. 1991. Effect of controlled redox conditions on metal solubility in acid sulfate soils. *Plant and Soil* 133: 281-290.

Sawyer, J.O. and T. Keeler-Wolf. 1996. A manual of California vegetation. California Native Plant Society, Sacramento, Calif.

Sommer, B. and P. Horwitz. 2000. Water quality and macroinvertebrate response to acidification following intensified summer droughts in a Western Australian wetland. *Mar. Freshwater Res.* 52: 1015-1021.

Soukup, M.A. and J.W. Portnoy. 1986. Impacts from mosquito control-induced sulphur mobilization in a Cape Cod estuary. *Environmental Conservation* 13: 47-50.

University of California Davis/U.S. Geological Survey. 1999. Napa/Sonoma Marsh hydrodynamic and water-quality study. Abstract. 4<sup>th</sup> Biennial State of the Estuary Conference: the rehabilitation of the estuary and its watersheds. March 17, 18, and 19, 1999. San Francisco, Calif.

U.S. Environmental Protection Agency (EPA). 1987. Quality Criteria for Water. EPA Publication 440/5-86-001. U.S. Gov. Prin. Office, Washington D.C.

U.S. Environmental Protection Agency (EPA). 1989. Wetlands and 401 Certification: Opportunities and Guidelines for States and Eligible Indian Tribes. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

U.S. Environmental Protection Agency (EPA). 1994. Methods for measuring the toxicity of sediment-associated contaminants with estuarine and marine amphipods. EPA-600/R-94/025. Env. Research Laboratory, Narragansett, R.I.

U.S. Environmental Protection Agency (EPA). 2000. Water quality standards: establishment of numeric criteria for priority toxic pollutants for the state of California. Rule. Federal Register 65(97): May 18, 2000.

Vranken, M., O. Oenema, and J. Mulder. 1990. Effects of tide range alterations on salt marsh sediments in the Eastern Scheldt, S.W. Netherlands. *Hydrobiologia* 195: 13-20.

Weller, Milton W. 1999. *Wetland Birds: Habitat Resources and Conservation Implications*. Cambridge University Press. Cambridge, United Kingdom.

### **Sources of Unpublished Materials**

Horne, A. Professor, University of California, Berkeley. Unpub. data from course on recycled water. 2000.

Sonoma Valley County Sanitation District (SVCSD). Unpub. data on nutrient and contaminant concentrations in influent and effluent of Sonoma Valley Treatment Plant. Data reported annually to California Regional Water Quality Control Board, San Francisco District.

San Francisco Bay Area Wetlands Ecosystem Goals Project. 1997. Wetlands of diked historic baylands *in* Draft Recommendations and Community Narratives for Plants. Draft document.

San Francisco Estuary Institute (SFEI). 2001. 1999 monitoring data: San Francisco Estuary Regional Monitoring Program for Trace Substances. Richmond, Calif.